

# SAFETY DATA SHEET

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Issue Date 27-Nov-2014 Revision Date 14-Feb-2023 Version 2.9

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Code(s) 2767345VIAL

Product Name Molybdovanadate Solution

Unique Formula Identifier (UFI) 0RVE-1G0Y-4302-F7GF

Molecular weight No data available

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Water Analysis. Indicator for phosphate.

Uses advised against Consumer use

# 1.3. Details of the supplier of the safety data sheet

#### Supplier

HACH UK
Laser House
Ground Floor, Suite B
Waterfront Quay, Salford Quays
GB - Manchester, M50 3XW
Tel. +44 (0) 161 872 1487
info-uk@hach.com

HACH Ireland Unit 34 GB Business Park Little Island IRL-Co. Cork T45 H681 Tel. +353 (0)146 02 522 info-ie@hach.com

#### 1.4. Emergency telephone number

UK: Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service IE: National Poisons Information Centre (NPIC) 01 809 2566 (24/7)

# **Section 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Corrosive to metals	Category 1 - (H290)
Skin corrosion/irritation	Category 1 - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)

BE / EGHS Page 1/18

#### 2.2. Label elements

Contains Sulfuric acid 5%



# Signal word

Danger

#### **Hazard statements**

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

### Precautionary Statements - EU (§28, 1272/2008)

P234 - Keep only in original container

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves/protective clothing and eye/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P363 - Wash contaminated clothing before reuse

P390 - Absorb spillage to prevent material damage

#### 2.3. Other hazards

No information available.

## PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT)

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable

# 3.2 Mixtures

Chemical name	CAS No. EC No. Index No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Sulfuric acid	7664-93-9 (016-020-00-8) 231-639-5 016-020-00-8	3 - 7%	Skin Corr. 1A - H314	Eye Irrit. 2 :: 5%<=C<15% Skin Corr. 1A :: C>=15%	-	-

BE / EGHS Page 2/18

Chemical name	CAS No. EC No. Index No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
				Skin Irrit. 2 :: 5%<=C<15%		
Molybdate (Mo7O246-), hexaammonium	12027-67-7 234-722-4 -	<1%	Acute Tox. 4 - H302 Eye Irrit. 2 - H319	-	-	-
Dipotassium peroxodisulphate	7727-21-1 231-781-8 016-061-00-1	<0.01%	Ox. Sol. 3 - H272 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Eye Irrit. 2 - H319 Resp. Sens. 1 - H334 STOT SE 3 - H335	-	-	-

# Full text of H- and EUH-phrases: see section 16

<u>Acute Toxicity Estimate</u> No information available

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Molybdate (Mo7O246-), hexaammonium 12027-67-7	333 mg/kg	None reported	None reported	None reported	None reported
Dipotassium peroxodisulphate 7727-21-1	802 mg/kg	None reported	None reported	None reported	None reported

# **Section 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. If breathing is difficult, (trained personnel should) give oxygen.

Delayed pulmonary edema may occur. Get immediate medical attention.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Get immediate medical attention.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical attention.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Get immediate medical attention.

**Self-protection of the first aider** Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use

BE / EGHS Page 3/18

barrier to give mouth-to-mouth resuscitation.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors**Treat symptomatically.

# **Section 5: FIREFIGHTING MEASURES**

5.1. Extinguishing media

surrounding environment. Dry chemical or CO2.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapours. Do not flush into surface water or

sanitary sewer system.

**Hazardous combustion products** Ammonia. nitrogen oxides. Sulphur oxides.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

Additional information Fire residues and contaminated fire extinguishing water must be disposed of in accordance

with local regulations.

# Section 6: ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak.

6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

BE / EGHS Page 4/18

#### 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

# **Section 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before

reuse. Ensure adequate ventilation.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and after work. Barrier creams may help to

protect the exposed areas of skin.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Keep at temperatures between 10 and 25 °C. Keep out of the reach of children.

Store away from other materials.

#### 7.3. Specific end use(s)

Specific use(s) Analytical reagent.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

# **Exposure Limits**

Chemical name	European Union	United Kingdom	Ireland
Sulfuric acid	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 ppm
7664-93-9		STEL: 0.15 mg/m <sup>3</sup>	STEL: 0.15 ppm
Molybdate (Mo7O246-),	-	TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
hexaammonium		STEL: 10 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>
12027-67-7			STEL: 30 mg/m <sup>3</sup>
			STEL: 1.5 mg/m <sup>3</sup>
Dipotassium peroxodisulphate	-	-	TWA: 0.1 mg/m <sup>3</sup>
7727-21-1			STEL: 0.3 mg/m <sup>3</sup>
			Sens+

**Derived No Effect Level (DNEL)**No information available.

Predicted No Effect Concentration No information available.

(PNEC)

Additional information No information available.

BE / EGHS Page 5/18

### 8.2. Exposure controls

**Engineering controls**Technical measures and appropriate working operations should be given priority over the

use of personal protective equipment. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific

workplace.

Personal protective equipment Eye/face protection

Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves. Gloves must be inspected prior to use. The selected protective gloves

have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374-1:2016 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III

acco.

Gloves							
Duration of contact	PPE - Glove material	Glove thickness	Break through time				
Long term (repeated)	Wear protective Viton™ gloves	0,70 mm	>480 minutes				
Short term	Wear protective nitrile rubber gloves	0,20 mm	>30 minutes				

**Skin and body protection**Wear suitable protective clothing. Long sleeved clothing.

**Respiratory protection** Ensure adequate ventilation. No protective equipment is needed under normal use

conditions. If exposure limits are exceeded or irritation is experienced, ventilation and

evacuation may be required. Wear breathing apparatus if exposed to

vapours/dusts/aerosols.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and after work. Barrier creams may help to

protect the exposed areas of skin.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Physical state Liquid

Colour yellow Odourless

Odour threshold No data available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Molecular weight No data available

**pH** < 0.5 @ 20 °C

Melting point / freezing point ~ -4 °C / 24.8 °F

Initial boiling point and boiling range 98 °C / 208.4 °F

BE / EGHS Page 6/18

Evaporation rate 1.02 (water = 1)

Vapour pressure 23.552 mm Hg / 3.14 kPa at 25 °C / 77 °F

Relative vapor density 0.62

Specific Gravity 1.044

Partition coefficient Not applicable

**Soil Organic Carbon-Water Partition** 

Coefficient

Not applicable

Autoignition temperature No data available

**Decomposition temperature**No data available

**Dynamic viscosity** No data available

Kinematic viscosity No data available

Relative density 1.044 g/mL @ 20 °C

# Solubility(ies)

#### Water solubility

Water solubility classification	Water solubility_	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

# Solubility in other solvents

Chemical Name_	Solubility classification	<u>Solubility</u>	Solubility Temperature_
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

# **Metal Corrosivity**

Classified as corrosive to metal according to CLP criteria

Steel Corrosion Rate98.3 mm/yr / 3.87 in/yrAluminum Corrosion Rate4.06 mm/yr / 0.16 in/yr

**Explosive properties** 

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point No data available

**Flammability** 

Upper flammability limit:No data availableLower flammability limitNo data available

Oxidising properties No data available.

Bulk density

No data available

9.2. Other information

No information available.

BE / EGHS Page 7/18

# **Section 10: STABILITY AND REACTIVITY**

10.1. Reactivity

**Reactivity** Corrosive to metal.

10.2. Chemical stability

**Stability** Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Contact with metals (aluminium, zinc, tin) may release hydrogen gas.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods. To avoid thermal decomposition, do not

overheat.

10.5. Incompatible materials

Incompatible materials Oxidising agent.

10.6. Hazardous decomposition products

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating and toxic gases and vapours.

# **Section 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on toxicological effects

# **Acute toxicity**

Based on available data, the classification criteria are not met

Mixture No data available.

Substance Test data reported below.

# **Oral Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Molybdate (Mo7O246-), hexaammonium	Rat LD <sub>50</sub>	333 mg/kg	None reported	None reported	Vendor SDS
Diammonium sulfate	Rat LD <sub>50</sub>	2840 mg/kg	None reported	None reported	GESTIS
Ammonium vanadate	Rat LD₅o	58.1 mg/kg	None reported	Behavioral Somnolence (general depressed activity) Gastrointestinal Hypermotility Diarrhoea Nutritional and Gross Metabolic Body temperature decrease	ChemADVISOR
Dipotassium peroxodisulphate	Rat LD <sub>50</sub>	802 mg/kg	None reported	None reported	IUCLID

BE / EGHS Page 8/18

#### **Dermal Exposure Route:**

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Ammonium vanadate	Rat	2102 mg/kg	None reported	Behavioral	HSDB
	LD50			Somnolence (general depressed	
				activity)	
				Gastrointestinal	
				Hypermotility	
				Diarrhoea	
				Nutritional and Gross	
				Metabolic	
				Body temperature decrease	

### Inhalation (Dust/Mist) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ammonium vanadate	Rat LC <sub>50</sub>	0.0078 mg/L	4 hours	None reported	LOLI

### **Acute Toxicity Estimate (ATE)**

#### Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity.

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

### **Skin corrosion/irritation**

Causes severe burns.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Existing human	Human	None reported	None reported	Corrosive to skin	HSDB
	experience					
Diammonium sulfate	Draize Test	Rabbit	800 mg	20 hours	Not corrosive or	ECHA
					irritating to skin	

# Serious eye damage/eye irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB

BE / EGHS Page 9/18

Diammonium sulfate	Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or	ECHA
					irritating to eves	
					imialing to eyes	

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

### **Skin Sensitization Exposure Route:**

Chemical name	Test method	Species	Results	Key literature references and sources for data
Dipotassium peroxodisulphate	Local Lymph Node Assay	Mouse	Confirmed to be a skin sensitizer	ECHA

# STOT - single exposure

Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

### **Oral Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Diammonium sulfate	Man TD∟₀	1500 mg/kg	None reported	<b>Gastrointestinal</b> Gas	RTECS

# Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Sulfuric acid	Human TD∟₀	0.144 mg/L	5 minutes	Lungs, Thorax, or Respiration Dyspnea	RTECS

# STOT - repeated exposure

Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

# **Oral Exposure Route:**

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Ammonium vanadate	Rat	4630 mg/kg	90 days	Behavioral	RTECS
	$TD_Lo$			Food intake	
				Blood	
				Pigmented or nucleated red	
				blood cells	
				Changes in erythrocyte (RBC)	
				count	
Dipotassium	Rat	131.5 mg/kg	28 days	No toxicological effects	ECHA
peroxodisulphate	NOAEL		-	observed	

BE / EGHS Page 10/18

# **Dermal Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Dipotassium peroxodisulphate	Rat NOAEL	91 mg/kg	90 days	No toxicological effects observed	ECHA

# Inhalation (Dust/Mist) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ammonium vanadate	Rat TC⊾∘	4.59 mg/m <sup>3</sup>	4 days	Lungs, Thorax, or Respiration Other changes Immunological Including Allergic Decrease in cellular immune response	RTECS
Dipotassium peroxodisulphate	Rat NOAEC	10.3 mg/m <sup>3</sup>	90 days	No toxicological effects observed	ECHA

# Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Sulfuric acid	Human	0.003 mg/L	168 days	Musculoskeletal	RTECS
	TCLo			Changes in teeth and supporting	
				structures	

# Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Mixture invitro **Data** No data available.

Substance invitro **Data** Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available
Ammonium vanadate	DNA damage	Human lymphocyte	0.2 mmol/L	None reported	Positive test result for mutagenicity	RTECS
Dipotassium peroxodisulphate	Mutation in microorganisms	Salmonella typhimurium	10 mg/plate	None reported	Negative	ECHA

Mixture invivo **Data** No data available.

Substance invivo **Data** Test data reported below.

# **Oral Exposure Route:**

Chemical name	Test	Species	Reported dose	Exposure time		Key literature references and sources for data
Ammonium vanadate	Micronucleus test	Mouse	50 mg/kg	None reported	Positive test result for mutagenicity	RTECS

# Carcinogenicity

BE / EGHS Page 11/18

Based on available data, the classification criteria are not met.

Mixture No data available.

Substance No data available.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

# **Oral Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ammonium vanadate	Rat	20 mg/kg	70 days	Death Post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants) Female fertility index (e.g. Male fertility index (e.g.	No information available
Dipotassium peroxodisulphate	Rat NOAEL	>= 250 mg/kg	Single generation	No reproductive or developmental toxic effects observed	ECHA

### Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Sulfuric acid	Rabbit	0.02 mg/L	7 hours	Specific Developmental	No information available
	TCLo			Abnormalities	
				Musculoskeletal system	

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

# 11.2 Information on other hazards

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

# 11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

# **Section 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity** Based on available data, the classification criteria are not met.

**Unknown aquatic toxicity**Contains 0 % of components with unknown hazards to the aquatic environment.

**Mixture** 

Acute aquatic toxicity: No data available.

Aquatic Chronic Toxicity: No data available.

BE / EGHS Page 12/18

### **Substance**

Acute aquatic toxicity:

Test data reported below.

Fish:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Molybdate (Mo7O246-), hexaammonium	96 hours	Oncorhynchus mykiss	LC <sub>50</sub>	320 mg/L	Vendor SDS
Diammonium sulfate	96 hours	Oncorhynchus mykiss	LC <sub>50</sub>	36.7 mg/L	GESTIS
Ammonium vanadate	96 hours	None reported	LC <sub>50</sub>	2.6 mg/L	EPA
Dipotassium peroxodisulphate	96 hours	None reported	LC <sub>50</sub>	>= 76.3 mg/L	FIFRA

### Crustacea:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Molybdate (Mo7O246-), hexaammonium	48 Hours	Daphnia magna	EC <sub>50</sub>	140 mg/L	Vendor SDS
Diammonium sulfate	48 Hours	None reported	LC <sub>50</sub>	14 mg/L	GESTIS
Dipotassium peroxodisulphate	48 Hours	Daphnia magna	EC <sub>50</sub>	92 mg/L	EPA

### Algae:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Molybdate (Mo7O246-),	72 Hours	Desmodesmus subspicatus	EC50	41 mg/L	Vendor SDS
hexaammonium					

Aquatic Chronic Toxicity: No data available.

12.2. Persistence and degradability

Mixture No data available.

12.3. Bioaccumulative potential

Mixture: No data available.

Partition coefficient Not applicable

12.4. Mobility in soil

Soil Organic Carbon-Water Partition Not applicable

Coefficient

# 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name		PBT and vPvB assessment
	Sulfuric acid	The substance is not PBT / vPvB
	Molybdate (Mo7O246-), hexaammonium	The substance is not PBT / vPvB
	Dipotassium peroxodisulphate	The substance is not PBT / vPvB

BE / EGHS Page 13/18

#### 12.6. Endocrine disrupting properties

Endocrine Disruptor Information: This product does not contain any known or suspected endocrine disruptors

#### 12.7. Other adverse effects

No information available.

Not applicable Ozone:

Ozone depletion potential (ODP): No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

**Advice on Disposal** 

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

#### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous

substances, including mixtures of laboratory chemicals; hazardous waste.

#### Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous

substances, including mixtures of laboratory chemicals; hazardous waste.

Contaminated packaging Dispose of contents/containers in accordance with local regulations.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

# **Section 14: TRANSPORT INFORMATION**

14.1 UN number or ID number UN3264

14.2 Proper shipping name Corrosive Liquid, Acidic, Inorganic, N.O.S.

14.3 Transport hazard class(es) 14.4 Packing Group

14.5 Marine pollutant Not applicable

14.6 Special precautions for user See section 6-8 for more information

14.7. Transport in bulk according to Not applicable

Annex II of MARPOL and the IBC

Code

ADR

14.1 UN number or ID number UN3264

14.2 Proper shipping name Corrosive Liquid, Acidic, Inorganic, N.O.S.

14.3 Transport hazard class(es) 14.4 Packing Group Ш

Not applicable 14.5 Environmental hazards

BE / EGHS Page 14/18

#### **14.6 Special precautions for user** See section 6-8 for more information

IATA

14.1 UN number or ID number UN3264

**14.2 Proper shipping name** Corrosive Liquid, Acidic, Inorganic, N.O.S.

14.3 Transport hazard class(es) 8
14.4 Packing group | | | |

14.5 Environmental hazards Not applicable

**14.6 Special precautions for user** See section 6-8 for more information

ERG Code 154

#### **Additional information**

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods.

If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

# **Section 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulations

### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work

#### Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
Sulfuric acid - 7664-93-9	75.	
Molybdate (Mo7O246-), hexaammonium -	65.	
12027-67-7		
Dipotassium peroxodisulphate - 7727-21-1	75.	

Persistent Organic Pollutants

Not applicable

#### Dangerous substance category per Seveso Directive (2012/18/EU)

Non-controlled

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### Germany

Water hazard class (WGK) slightly hazardous to water (WGK 1)

#### France

BE / EGHS Page 15/18

#### Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Sulfuric acid	RG 5,RG 14,RG 15,RG	-
7664-93-9	15bis,RG 20bis	
	RG 14,RG 20bis,RG 65	
Dipotassium peroxodisulphate	RG 65,RG 66	-
7727-21-1		

**International Inventories** 

Complies **EINECS/ELINCS** Complies **TSCA DSL/NDSL** Complies **ENCS** Complies **IECSC** Complies Complies **KECL - Existing substances** Complies **PICCS** Complies **AICS** 

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# 15.2. Chemical safety assessment

Chemical Safety Report Chemical safety assessments for substances in this mixture were not carried out.

# **Section 16: OTHER INFORMATION**

 Issue Date
 27-Nov-2014

 Revision Date
 14-Feb-2023

**Revision Note** New SDS, SDS sections updated, 3, 9, 11, 12.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

## Legend

\*\* Hazard Designation

ADN Accord européen relatif au transport international des marchandises dangereuses par voies

de navigation intérieure

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate

CAS Chemical Abstracts Service Number

Ceiling Maximum limit value

CLP Classification, Labelling and Packaging of substances and mixtures [Regulation (EC) No.

1272/2008]

BE / EGHS Page 16/18

DNEL Derived No Effect Level (DNEL)

EC European Community

ECHA (The European Chemicals Agency)

EC50 Effective Concentration to 50% of a test population EEC European Economic Community

EEC European Economic Col EN European Standard

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

IATA-DGR International Air Transport Association - Dangerous Goods Regulations

ICAO International Civil Aviation Organization

ICAO-TI International Civil Aviation Organization - Technical Instructions
IUCLID IUCLID (The International Uniform Chemical Information Database)
GHS Globally Harmonized System of Classification and Labelling of Chemicals

LOAEL Lowest observed adverse effect level

LOAEC Lowest observed adverse effect concentration LC50 Lethal Concentration to 50% of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)
LOLI (List of Lists - An International Chemical Regulatory Database)

MAK Maximale Arbeitsplatz-Konzentration, a German expression corresponding to threshold limit

value, which relates to safe daily exposure levels to chemical substances

NOAEL NOAEL (No observed adverse effect level)
NOAEC No observed adverse effect concentration

OSHA Occupational Safety and Health Administration of the US Department of Labour)

PEC Predicted Effect Concentration

PNEC Predicted No Effect Concentration (PNEC)

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals [Regulation (EC) No.

1907/2006])

RID Règlement international concernant le transport des marchandises dangereuses par chemin

de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

RTECS (Registry of Toxic Effects of Chemical Substances)

TWA TWA (time-weighted average)

SKN\* Skin designation SKN+ Skin sensitisation

STEL STEL (Short Term Exposure Limit)
STOT Specific Target Organ Toxicity

STOT RE Specific target organ toxicity — repeated exposure STOT SE Specific target organ toxicity — single exposure

SVHC Substances of Very High Concern

TLV Threshold Limit Value

TRGS Technical rules for hazardous substances, Germany

TSCA Toxic Substances Control Act

UN United Nations

vPvB very persistent and very bioaccumulative

VOC Volatile organic compounds

AwSV Administrative regulation of water polluting substances, Germany

# **Key literature references and sources for data**See Section 11: TOXICOLOGICAL INFORMATION

See Section 11: TOXICOLOGICAL INFORMATION

# Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eve damage/eve irritation	Calculation method

BE / EGHS Page 17/18

Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration toxicity	Calculation method
Ozone	Calculation method
Corrosive to metals	On basis of test data

# Full text of H-Statements referred to under section 3

- H272 May intensify fire; oxidiser
- H302 Harmful if swallowed
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H335 May cause respiratory irritation
- H290 May be corrosive to metals

Training Advice Take note of Directive 98/24/EC on the protection of the health and safety of workers from

the risks related to chemical agents at work

**Restrictions on use** For Laboratory Use Only.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

**End of Safety Data Sheet** 

BE / EGHS Page 18/18