



Be Right™

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### 2038-32 Sulfuric Acid Standard Solution 19.2 N

Revision date: 19.04.2020 Product code: 203832 Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

2038-32 Sulfuric Acid Standard Solution 19.2 N

UFI: WRT6-7EA8-5006-V9UE

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Water analysis

### 1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

**Hazard Statements:** 

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

# 2.2. Label elements

# Regulation (EC) No. 1272/2008

### Hazard components for labelling

sulphuric acid ... %

Signal word: Danger

Pictograms:





Be Right™

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### 2038-32 Sulfuric Acid Standard Solution 19.2 N

Revision date: 19.04.2020 Product code: 203832 Page 2 of 9

**Hazard statements** 

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

**Precautionary statements** 

P234 Keep only in original packaging.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTER/doctor.
P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.

#### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

### 2.3. Other hazards

no data available

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# **Hazardous components**

CAS No	Chemical name			Quantity		
	EC No	Index No	REACH No			
	GHS Classification					
7664-93-9	Sulphuric acid %					
	231-639-5	016-020-00-8	01-2119458838-20			
	Skin Corr. 1A; H314	•				
7732-18-5	Water			30-40 %		
	231-791-2					

Full text of H and EUH statements: see section 16.

### Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
	Specific concentration limits and M-factors		
7664-93-9	231-639-5	Sulphuric acid %	60-70 %
	Skin Corr. 1A; H	314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15	

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# **General information**

Take off all contaminated clothing immediately.

Show this safety data sheet to the doctor in attendance.

#### After inhalation

Move to fresh air. Consult a physician.

### After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Consult a physician.





according to Regulation (EC) No 1907/2006

### 2038-32 Sulfuric Acid Standard Solution 19.2 N

Revision date: 19.04.2020 Product code: 203832 Page 3 of 9

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Show this safety data sheet to the doctor in attendance.

### After contact with eyes

Rinse immediately with plenty of water for at least 15 minutes. Call a physician immediately.

#### After indestion

Do NOT induce vomiting. Drink 1 or 2 glasses of water.

Never give anything by mouth to an unconscious person.

Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

Water

### 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Gives off hydrogen by reaction with metals. Reacts violently with water.

Fire may liberate hazardous vapours.

### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

# **Additional information**

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

# 6.4. Reference to other sections

13. Disposal considerations

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Avoid contact with skin and eyes.

Do not breathe vapours or spray mist. Use only in well-ventilated areas.

# Further information on handling

Observe label precautions.

# 7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

### 2038-32 Sulfuric Acid Standard Solution 19.2 N

Revision date: 19.04.2020 Product code: 203832 Page 4 of 9

### Requirements for storage rooms and vessels

Keep away from heat. Keep container tightly closed in a dry and well-ventilated place.

#### Hints on joint storage

Protect against Bases, Oxidizing agents, Metals

### 7.3. Specific end use(s)

Reagent for analysis

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

#### Additional advice on limit values

None known.

# 8.2. Exposure controls

# Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Protective and hygiene measures

Wash hands before breaks and at the end of workday.

### Eye/face protection

Safety glasses with side-shields

### Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0.40 mm, Breakthrough time: > 30 min

#### Skin protection

Avoid contact with skin, eyes and clothing.

### Respiratory protection

Ensure adequate ventilation, especially in confined areas. Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: stinging

pH-Value (at 20 °C): < 0,5

### Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

no data available

100 °C

Sublimation point:

not applicable

not applicable



Be Right™

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

2038-32	Sulfuric	Acid Stan	dard Solution	19 2 N
2030-32	Sulluric	ACIU Stan	uaru Solulloi	1 19.2 N

Revision date: 19.04.2020 Product code: 203832 Page 5 of 9

Pour point: not applicable Flash point: not applicable

**Flammability** 

Solid: not applicable
Gas: not applicable

**Explosive properties** 

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

Decomposition temperature: no data available

**Oxidizing properties** 

not applicable

Vapour pressure:no data availableVapour pressure:no data availableDensity (at 20 °C):1,535 g/cm³Bulk density:not applicableWater solubility:soluble

Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available Vapour density: no data available Evaporation rate: no data available Solvent separation test: no data available Solvent content: no data available

9.2. Other information

Solid content: no data available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Corrosive to metals

# 10.2. Chemical stability

Stable under recommended storage conditions.

# 10.3. Possibility of hazardous reactions

Reacts with the following substances: Alkali metals, Alkaline earth metals, Metals, Bases

# 10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Decomposes on heating.

### 10.5. Incompatible materials

Bases, Oxidizing agents, Metals





according to Regulation (EC) No 1907/2006

### 2038-32 Sulfuric Acid Standard Solution 19.2 N

Revision date: 19.04.2020 Product code: 203832 Page 6 of 9

# 10.6. Hazardous decomposition products

Gives off hydrogen by reaction with metals.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### Acute toxicity

No data is available on the product itself.

### Irritation and corrosivity

The product causes burns of eyes, skin and mucous membranes.

#### Sensitising effects

No known effect.

# Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

#### STOT-single exposure

No known effect.

### STOT-repeated exposure

No known effect.

### **Aspiration hazard**

No aspiration toxicity classification

### Specific effects in experiment on an animal

No toxicology information is available.

#### **Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

No data is available on the product itself.

# 12.2. Persistence and degradability

No data is available on the product itself.

#### 12.3. Bioaccumulative potential

No data is available on the product itself.

# 12.4. Mobility in soil

no data available

### 12.5. Results of PBT and vPvB assessment

no data available

### 12.6. Other adverse effects

No known effect.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

### **Disposal recommendations**

In accordance with local and national regulations.

# List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste





according to Regulation (EC) No 1907/2006

### 2038-32 Sulfuric Acid Standard Solution 19.2 N

Revision date: 19.04.2020 Product code: 203832 Page 7 of 9

### List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals: hazardous waste

### List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

**14.1. UN number:** UN 1830 **14.2. UN proper shipping name:** Sulphuric acid

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



# Inland waterways transport (ADN)

# Other applicable information (inland waterways transport)

Not tested

### Marine transport (IMDG)

14.1. UN number:UN 183014.2. UN proper shipping name:Sulphuric acid

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Marine pollutant: -Special Provisions: Limited quantity: 1 L
Excepted quantity: E2
EmS: F-A, S-B

# Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 183014.2. UN proper shipping name: Sulphuric acid

14.3. Transport hazard class(es): 8
14.4. Packing group: |





according to Regulation (EC) No 1907/2006

### 2038-32 Sulfuric Acid Standard Solution 19.2 N

Revision date: 19.04.2020 Product code: 203832 Page 8 of 9

Hazard label:

8

Special Provisions:

Limited quantity Passenger: 0.5 L
Passenger LQ: Y840
Excepted quantity: E2

IATA-packing instructions - Passenger: 851
IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 855
IATA-max. quantity - Cargo: 30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

no data available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

#### Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number3316, Package group II, EMS Code: F-A, S-P These transport data apply to the entire pack

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

# **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Changes

Revision: 20.04.2020

Safety datasheet sections which have been updated: 14

Revision: 19.02.2020

Safety datasheet sections which have been updated: 3, 15, 16

Revision: 30.05.2017

Safety datasheet sections which have been updated: 2, 3, 7, 8, 10

Revision: 5.03.2015

Safety datasheet sections which have been updated: 2





according to Regulation (EC) No 1907/2006

# 2038-32 Sulfuric Acid Standard Solution 19.2 N

Revision date: 19.04.2020 Product code: 203832 Page 9 of 9

# Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method

### Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)





according to Regulation (EC) No 1907/2006

# 2039-53 Ethylene Glycol

Revision date: 31.05.2016 Product code: 203953 Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

2039-53 Ethylene Glycol

CAS No: 107-21-1 Index No: 603-027-00-1 EC No: 203-473-3

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Water analysis

### 1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

**1.4. Emergency telephone** Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Serious eye damage/eye irritation: Eye Irrit. 2A

Specific target organ toxicity - single exposure: STOT SE 1 Specific target organ toxicity - repeated exposure: STOT RE 1

Hazard Statements: Harmful if swallowed. Causes serious eye irritation. Causes damage to organs.

Causes damage to organs through prolonged or repeated exposure.

# 2.2. Label elements

### Regulation (EC) No. 1272/2008

# Hazard components for labelling ethanediol, ethylene glycol

Signal word: Danger



according to Regulation (EC) No 1907/2006

# 2039-53 Ethylene Glycol

Revision date: 31.05.2016 Product code: 203953 Page 2 of 8

### Pictograms:





#### **Hazard statements**

H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H370 Causes damage to organs.

### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P501 Dispose of contents/container to Disposal.

#### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

### 2.3. Other hazards

no data available

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
107-21-1	ethanediol, ethylene glycol			100 %
	203-473-3 603-027-00-1			
	Acute Tox. 4, Eye Irrit. 2A, STOT SE 1, STOT RE 1; H302 H319 H370 H372			

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

Take off all contaminated clothing immediately.

Consult a physician. Show this safety data sheet to the doctor in attendance.

# After inhalation

Move to fresh air.

### After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.

### After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.





according to Regulation (EC) No 1907/2006

# 2039-53 Ethylene Glycol

Revision date: 31.05.2016 Product code: 203953 Page 3 of 8

### After ingestion

Clean mouth with water and drink afterwards plenty of water.

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### 4.2. Most important symptoms and effects, both acute and delayed

irritant effects

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

#### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

#### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

#### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

# 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

# 6.4. Reference to other sections

13. Disposal considerations

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

Use only in well-ventilated areas.

# 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place.

### Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

# 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# 2039-53 Ethylene Glycol

Revision date: 31.05.2016 Product code: 203953 Page 4 of 8

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL

#### Additional advice on limit values

None known.

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

# Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Eye/face protection

Safety glasses with side-shields

#### Hand protection

Use barrier skin cream.

Wash hands before breaks and after work.

Chemical resistant protective gloves

The protective gloves to be used must comply with the specifications of EC directive 2016/425/EC and the resultant standard DIN EN ISO 374-1.

### Skin protection

Remove and wash contaminated clothing before re-use.

# Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: sweet

pH-Value (at 20 °C): 6 - 7,5

Changes in the physical state

Melting point:  $-13 \,^{\circ}\text{C}$  Initial boiling point and boiling range:  $197.6 \,^{\circ}\text{C}$  Flash point:  $115 \,^{\circ}\text{C}$ 

Flammability

Solid: not applicable
Gas: no data available

**Explosive properties** 

no data available

Lower explosion limits: 1,8 vol. %
Upper explosion limits: 12,8 vol. %
Ignition temperature: 410 °C

**Auto-ignition temperature** 



Be Right™

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# 2039-53 Ethylene Glycol

Revision date: 31.05.2016 Product code: 203953 Page 5 of 8

Solid: 398 °C
Gas: no data available
Decomposition temperature: not applicable

### **Oxidizing properties**

The product has been shown not to be oxidising in a test following Directive 67/548/EEC (Method A17,

oxidising properties).

Vapour pressure: 0,053 hPa

Density (at 20 °C): 1,11 g/cm³

Water solubility: completely soluble (at 20 °C)

# Solubility in other solvents

Acetone, Ketones, Aldehydes, Ether

Partition coefficient: -1.36
Vapour density: 2.14
Evaporation rate: 0.01

#### 9.2. Other information

no data available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

sodium hypochlorite, Acids, Oxidizing agents, Aluminium, Chlorine, Strong bases

# 10.2. Chemical stability

Stable under recommended storage conditions.

# 10.3. Possibility of hazardous reactions

Carbon monoxide, Carbon dioxide (CO2)

### 10.4. Conditions to avoid

No dangerous reaction known under conditions of normal use.

#### 10.5. Incompatible materials

Bases

Oxidizing agents

# 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### **Acute toxicity**

LD50/oral/rat = 4700 mg/kg

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
107-21-1	ethanediol, ethylene glyco	ethanediol, ethylene glycol						
	oral	LD50 1700 mg/kg	rat					
	dermal	LD50 9530 mg/kg	Rabbit	GESTIS				



according to Regulation (EC) No 1907/2006

# 2039-53 Ethylene Glycol

Revision date: 31.05.2016 Product code: 203953 Page 6 of 8

### Irritation and corrosivity

May cause eye irritation.

### Sensitising effects

No known effect.

### Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

#### STOT-single exposure

The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

#### STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Aspiration hazard**

No aspiration toxicity classification

# Specific effects in experiment on an animal

No toxicology information is available.

#### Additional information on tests

None known.

### **Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

# 12.2. Persistence and degradability

Readily biodegradable.

# 12.3. Bioaccumulative potential

No data is available on the product itself.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-21-1	ethanediol, ethylene glycol	-1,36

# 12.4. Mobility in soil

no data available

# 12.5. Results of PBT and vPvB assessment

no data available

### 12.6. Other adverse effects

No known effect.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

### **Disposal recommendations**

In accordance with local and national regulations.

# List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste





Be Right"

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# 2039-53 Ethylene Glycol

Revision date: 31.05.2016 Product code: 203953 Page 7 of 8

### List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

### Other applicable information (land transport)

Not subject to transport regulations.

### Inland waterways transport (ADN)

### Other applicable information (inland waterways transport)

Not tested

# Marine transport (IMDG)

### Other applicable information (marine transport)

Not subject to transport regulations.

### Air transport (ICAO-TI/IATA-DGR)

### Other applicable information (air transport)

Not subject to transport regulations.

Danger releasing substance: no data available

# 14.6. Special precautions for user

no data available

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

# Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number3316, Package group II, EMS Code: F-A, S-P

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

### **Additional information**

Classification according to EU Directives 67/548/EEC or 1999/45/EC

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

# National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

#### **SECTION 16: Other information**

#### Changes

Revision: 31.05.2016

Safety datasheet sections which have been updated: 2, 4, 7, 9, 11, 12, 14, 15

Revision: 19.04.2016

Safety datasheet sections which have been updated: 2, 4, 6, 7, 9, 10, 12, 14, 15





Be Right™

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# 2039-53 Ethylene Glycol

Revision date: 31.05.2016 Product code: 203953 Page 8 of 8

# Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H319 Causes serious eye irritation. H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.





according to Regulation (EC) No 1907/2006

# 2040-53 Sodium Hydroxide, 4,5 N

Revision date: 21.05.2015 Product code: 204053 Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

2040-53 Sodium Hydroxide, 4,5 N

UFI: KX9H-0J5J-500J-MR83

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Water analysis

### 1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

# 2.2. Label elements

#### Regulation (EC) No. 1272/2008

# Hazard components for labelling

sodium hydroxide; caustic soda **Signal word:**Danger

Pictograms:





Be Right™

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# 2040-53 Sodium Hydroxide, 4,5 N

Revision date: 21.05.2015 Product code: 204053 Page 2 of 9

#### **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTER/doctor.

#### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

### 2.3. Other hazards

None known.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name				Quantity
	EC No	Index No		REACH No	
	GHS Classification				
7732-18-5	18-5 Water			80-90 %	
	231-791-2				
		•			
1310-73-2	sodium hydroxide; caustic soda				10-20 %
	215-185-5	011-002-00-6			
	Skin Corr. 1A; H314				

Full text of H and EUH statements: see section 16.

#### Specific concentration limits and M-factors

epositio contonicación initio ana in taccoro					
CAS No	EC No	Chemical name	Quantity		
	Specific conce	Specific concentration limits and M-factors			
1310-73-2	215-185-5	sodium hydroxide; caustic soda	10-20 % %		
	Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2				
	Eye Irrit. 2; H3	19: >= 0,5 - < 2			

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

Take off all contaminated clothing immediately.

Show this safety data sheet to the doctor in attendance.

# After inhalation

Move to fresh air. Consult a physician. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).





according to Regulation (EC) No 1907/2006

# 2040-53 Sodium Hydroxide, 4,5 N

Revision date: 21.05.2015 Product code: 204053 Page 3 of 9

#### After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Consult a physician.

Show this safety data sheet to the doctor in attendance.

#### After contact with eyes

Rinse immediately with plenty of water for at least 15 minutes. Call a physician immediately.

### After ingestion

Do NOT induce vomiting. Drink 1 or 2 glasses of water.

Never give anything by mouth to an unconscious person.

Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

None known.

### 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

#### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

#### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

### 6.4. Reference to other sections

13. Disposal considerations

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes. Do not breathe vapours or spray mist. Use only in well-ventilated areas.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep away from heat. Keep container tightly closed in a dry and well-ventilated place.

#### Hints on joint storage

Do not store near acids.



according to Regulation (EC) No 1907/2006

# 2040-53 Sodium Hydroxide, 4,5 N

Revision date: 21.05.2015 Product code: 204053 Page 4 of 9

### 7.3. Specific end use(s)

Reagent for analysis

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

#### Additional advice on limit values

None known.

# 8.2. Exposure controls

# Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Protective and hygiene measures

Wash hands before breaks and at the end of workday.

#### Eye/face protection

Safety glasses with side-shields

# **Hand protection**

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

#### Skin protection

Avoid contact with skin, eyes and clothing.

# Respiratory protection

Ensure adequate ventilation, especially in confined areas.

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: odourless

pH-Value (at 20 °C):

### Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Flash point:

no data available
not applicable
not applicable
not applicable
not applicable

**Flammability** 

Solid: not applicable
Gas: not applicable



according to Regulation (EC) No 1907/2006

# 2040-53 Sodium Hydroxide, 4,5 N

Revision date: 21.05.2015 Product code: 204053 Page 5 of 9

# **Explosive properties**

not applicable

Lower explosion limits:

Upper explosion limits:

Iquition temperature:

not applicable
not applicable

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

Decomposition temperature: no data available

**Oxidizing properties** 

not applicable

Vapour pressure:

Density (at 20 °C):

Bulk density:

Not applicable

not applicable

not applicable

soluble

(at 20 °C)

# Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available no data available Vapour density: no data available Evaporation rate: Solvent separation test: no data available Solvent content: no data available

9.2. Other information

Solid content: no data available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

# 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Decomposes on heating.

# 10.5. Incompatible materials

Acids

# 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

# **SECTION 11: Toxicological information**



according to Regulation (EC) No 1907/2006

# 2040-53 Sodium Hydroxide, 4,5 N

Revision date: 21.05.2015 Product code: 204053 Page 6 of 9

# 11.1. Information on toxicological effects

### **Acute toxicity**

No data is available on the product itself.

### Irritation and corrosivity

Causes skin and eye burns.

### Sensitising effects

No known effect.

# Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

### STOT-single exposure

This information is not available.

#### STOT-repeated exposure

This information is not available.

### **Aspiration hazard**

No aspiration toxicity classification

### Specific effects in experiment on an animal

No toxicology information is available.

#### **Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method	
1310-73-2	sodium hydroxide; caustic soda						
	Acute fish toxicity	LC50 45,4 mg/l		Onchorhynchus mykiss			

# 12.2. Persistence and degradability

No data is available on the product itself.

### 12.3. Bioaccumulative potential

No data is available on the product itself.

### 12.4. Mobility in soil

no data available

# 12.5. Results of PBT and vPvB assessment

no data available

# 12.6. Other adverse effects

no data available

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

In accordance with local and national regulations.

### List of Wastes Code - residues/unused products



Be Right"

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# 2040-53 Sodium Hydroxide, 4,5 N

Revision date: 21.05.2015 Product code: 204053 Page 7 of 9

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST: gases in pressure containers and

discarded chemicals: laboratory chemicals, consisting of or containing hazardous substances.

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

**14.1. UN number:** UN1824

14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Classification code: C5
Limited quantity: 1 L
Transport category: 2
Hazard No: 80
Tunnel restriction code: E

Other applicable information (land transport)

Excepted Quantities: E2

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

**14.1. UN number:** UN1824

14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Marine pollutant: -Special Provisions: Limited quantity: 1 L
EmS: F-A, S-B

Other applicable information (marine transport)

Excepted Quantities: E2

Air transport (ICAO-TI/IATA-DGR)





according to Regulation (EC) No 1907/2006

# 2040-53 Sodium Hydroxide, 4,5 N

Revision date: 21.05.2015 Product code: 204053 Page 8 of 9

**14.1. UN number:** UN1824

14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Special Provisions: A3 A803 Limited quantity Passenger: 0.5 L

IATA-packing instructions - Passenger: 851
IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 855
IATA-max. quantity - Cargo: 30 L

### Other applicable information (air transport)

Excepted Quantities: E2 Passenger-LQ: Y840

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# Other applicable information

not applicable

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

### Changes

Revision: 21.05.2015

Safety datasheet sections which have been updated: 2, 11

# Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.





according to Regulation (EC) No 1907/2006

# 2040-53 Sodium Hydroxide, 4,5 N

Revision date: 21.05.2015 Product code: 204053 Page 9 of 9

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)





according to Regulation (EC) No 1907/2006

### 2042-53 Ferric Chloride - Sulfuric Acid Solution for Volatile Acids

Revision date: 30.04.2015 Product code: 204253 Page 1 of 9

Creation date: 15.06.2009

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

2042-53 Ferric Chloride - Sulfuric Acid Solution for Volatile Acids

UFI: 0W94-1GCA-6009-N3T7

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Water analysis

# 1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements: May be corrosive to metals. Causes skin irritation.

Causes serious eye damage.

# 2.2. Label elements

# Regulation (EC) No. 1272/2008

# Hazard components for labelling

sulphuric acid ... %

Iron(III) chloride hexahydrate

Signal word: Danger



according to Regulation (EC) No 1907/2006

### 2042-53 Ferric Chloride - Sulfuric Acid Solution for Volatile Acids

Revision date: 30.04.2015 Product code: 204253 Page 2 of 9

Creation date: 15.06.2009

# Pictograms:



# **Hazard statements**

H290 May be corrosive to metals.
H315 Causes skin irritation.
H318 Causes serious eye damage.

### **Precautionary statements**

P234 Keep only in original packaging.
P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P332+P313 If skin irritation occurs: Get medical advice/attention.

P362 Take off contaminated clothing.

P390 Absorb spillage to prevent material damage.

P406 Store in a corrosion-resistant container with a resistant inner liner.

### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

### 2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	CLP Classification					
7732-18-5	Water			90-98 %		
	231-791-2					
7664-93-9	sulphuric acid %					
	231-639-5	016-020-00-8				
	Skin Corr. 1A; H314					
10025-77-1	Iron(III) chloride hexahydrate					
	231-729-4					
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1; H302 H315 H318					

Full text of H and EUH statements: see section 16.





Be Right™

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### 2042-53 Ferric Chloride - Sulfuric Acid Solution for Volatile Acids

Revision date: 30.04.2015 Product code: 204253 Page 3 of 9

Creation date: 15.06.2009

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity		
	Specific concen	entration limits and M-factors			
7664-93-9	231-639-5	sulphuric acid %	< 5 %		
	Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15				

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

Take off all contaminated clothing immediately.

#### After inhalation

Move to fresh air.

#### After contact with skin

Wash off immediately with plenty of water.

# After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### After ingestion

If conscious, make the victim drink the following: Clean mouth with water and drink afterwards plenty of water. Consult a physician.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

# 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

# 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

# 6.4. Reference to other sections

13. Disposal considerations



Be Right

# **Safety Data Sheet**

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

### 2042-53 Ferric Chloride - Sulfuric Acid Solution for Volatile Acids

Revision date: 30.04.2015 Product code: 204253 Page 4 of 9

Creation date: 15.06.2009

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Use only in well-ventilated areas.

Avoid contact with skin and eyes. Do not breathe vapours or spray mist.

### Advice on protection against fire and explosion

See also section 5

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place.

#### Hints on joint storage

Do not store together with Bases

### 7.3. Specific end use(s)

Reagent for analysis

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

### Additional advice on limit values

None known.

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

# Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

### Eye/face protection

Safety glasses with side-shields

### Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

### Skin protection

Remove and wash contaminated clothing before re-use.

# Respiratory protection

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter





according to Regulation (EC) No 1907/2006

### 2042-53 Ferric Chloride - Sulfuric Acid Solution for Volatile Acids

Revision date: 30.04.2015 Product code: 204253 Page 5 of 9

Creation date: 15.06.2009

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: yellow
Odour: odourless

pH-Value (at 20 °C): 0,5

# Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Pour point:

Tlash point:

No data available

not applicable

not applicable

not applicable

not applicable

not available

No data available

No data available

**Flammability** 

Solid: not applicable
Gas: not applicable

# **Explosive properties**

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

Decomposition temperature: no data available

### **Oxidizing properties**

not applicable

Vapour pressure:

Vapour pressure:

Density (at 20 °C):

Bulk density:

No data available

1,039 g/cm³

not applicable

Water solubility:

miscible

# Solubility in other solvents

no data available

Partition coefficient:

Viscosity / dynamic:

no data available

Viscosity / kinematic:

no data available

Flow time:

no data available

Vapour density:

no data available

Evaporation rate:

no data available

no data available

no data available

no data available





Be Right™

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### 2042-53 Ferric Chloride - Sulfuric Acid Solution for Volatile Acids

Revision date: 30.04.2015 Product code: 204253 Page 6 of 9

Creation date: 15.06.2009

Solvent content: no data available

9.2. Other information

Solid content: not applicable

no data available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

See also section 10.3

#### 10.2. Chemical stability

Stable under recommended storage conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

### 10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

### 10.5. Incompatible materials

Strong bases

Alkali metals

# 10.6. Hazardous decomposition products

Sulphur oxides

### **Further information**

Stable under recommended storage conditions.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

### **Acute toxicity**

No data is available on the product itself.

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
10025-77-1	Iron(III) chloride hexahydrate						
	oral	ATE 500 mg/kg					

# Irritation and corrosivity

H318 - Causes serious eye damage.

May cause skin irritation.

### Sensitising effects

Contains no substance or substances classified as sensitising.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

#### STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Aspiration hazard

No aspiration toxicity classification





according to Regulation (EC) No 1907/2006

### 2042-53 Ferric Chloride - Sulfuric Acid Solution for Volatile Acids

Revision date: 30.04.2015 Product code: 204253 Page 7 of 9

Creation date: 15.06.2009

### Specific effects in experiment on an animal

sulphuric acid ... %: LD50/oral/rat = 2140 mg/kg

Iron(III) chloride hexahydrate: LD50/oral/rat = 1872 mg/kg

#### Additional information on tests

no data available

### **Practical experience**

# Observations relevant to classification

no data available

#### Other observations

no data available

#### **Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

### 12.2. Persistence and degradability

No data is available on the product itself.

# 12.3. Bioaccumulative potential

No data is available on the product itself.

# 12.4. Mobility in soil

no data available

# 12.5. Results of PBT and vPvB assessment

no data available

#### 12.6. Other adverse effects

No known effect.

# **Further information**

no data available

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

In accordance with local and national regulations.

# List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

### List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

### List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste





according to Regulation (EC) No 1907/2006

### 2042-53 Ferric Chloride - Sulfuric Acid Solution for Volatile Acids

Revision date: 30.04.2015 Product code: 204253 Page 8 of 9

Creation date: 15.06.2009

### Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

**14.1. UN number:** UN 3264

**14.2. UN proper shipping name:** Corrosive liquid, acidic, inorganic, n.o.s.

14.3. Transport hazard class(es): 8
14.4. Packing group: III

### Inland waterways transport (ADN)

### Other applicable information (inland waterways transport)

Not tested

### Marine transport (IMDG)

**14.1. UN number:** UN 3264

14.2. UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (<10% Sulphuric acid solution)

14.3. Transport hazard class(es):814.4. Packing group:IIIEmS:F-A,S-B

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 3264

14.2. UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (<10% Sulphuric acid solution)

14.3. Transport hazard class(es): 8
14.4. Packing group: III

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

no data available

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

### Other applicable information

no data available

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

### **National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Changes





according to Regulation (EC) No 1907/2006

# 2042-53 Ferric Chloride - Sulfuric Acid Solution for Volatile Acids

Revision date: 30.04.2015 Product code: 204253 Page 9 of 9

Creation date: 15.06.2009

Revision: 30.04.2015

Safety datasheet sections which have been updated: 2, 4, 11

# Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation. H318 Causes serious eye damage.

# **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)





according to Regulation (EC) No 1907/2006

# 818-42 Hydroxylamine-Hydrochloride Solution

Revision date: 11.05.2021 Product code: 81842 Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

818-42 Hydroxylamine-Hydrochloride Solution

UFI: NU5J-7HHE-S007-MJ65

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Water analysis

#### 1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Respiratory or skin sensitisation: Skin Sens. 1

Carcinogenicity: Carc. 2

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazard Statements: Harmful if swallowed.

May cause an allergic skin reaction.

Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure.

### 2.2. Label elements

# Regulation (EC) No. 1272/2008

# Hazard components for labelling

hydroxylammonium chloride; hydroxylamine hydrochloride

Signal word: Warning



Be Right<sup>™</sup>

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# 818-42 Hydroxylamine-Hydrochloride Solution

Revision date: 11.05.2021 Product code: 81842 Page 2 of 8

### Pictograms:





#### **Hazard statements**

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

#### **Precautionary statements**

P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

# Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

### 2.3. Other hazards

no data available

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification					
7732-18-5	Water					
	231-791-2					
5470-11-1	hydroxylammonium chloride; hydroxylamine hydrochloride					
	226-798-2	612-123-00-2				
	Met. Corr. 1, Carc. 2, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT RE 2, Aquatic Acute 1; H290 H351 H312 H302 H315 H319 H317 H373 H400					

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

# General information

Take off all contaminated clothing immediately. Show this safety data sheet to the doctor in attendance.

### After inhalation

Move to fresh air. Consult a physician for severe cases.

#### After contact with skin

Wash off with soap and water. Call a physician immediately.





Be Right"

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# 818-42 Hydroxylamine-Hydrochloride Solution

Revision date: 11.05.2021 Product code: 81842 Page 3 of 8

### After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

#### After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician immediately. Show this safety data sheet to the doctor in attendance. Never give anything by mouth to an unconscious person.

### 4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

None known.

#### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

#### 5.3. Advice for firefighters

In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

#### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

# 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

# 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

#### 6.4. Reference to other sections

13. Disposal considerations

### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes. Use only in well-ventilated areas. Do not breathe vapours or spray mist.

# Advice on protection against fire and explosion

See also section 5

# Further information on handling

Observe label precautions.

### 7.2. Conditions for safe storage, including any incompatibilities





according to Regulation (EC) No 1907/2006

# 818-42 Hydroxylamine-Hydrochloride Solution

Revision date: 11.05.2021 Product code: 81842 Page 4 of 8

### Requirements for storage rooms and vessels

Keep away from open flames, hot surfaces and sources of ignition.

#### Hints on joint storage

Incompatible with oxidizing agents.

### 7.3. Specific end use(s)

Reagent for analysis

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### Additional advice on limit values

None known.

#### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

### Protective and hygiene measures

Wash hands before breaks and after work.

General industrial hygiene practice.

### Eye/face protection

Safety glasses with side-shields

### **Hand protection**

Use barrier skin cream. Wash hands before breaks and after work. Chemical resistant protective gloves The protective gloves to be used must comply with the specifications of EC directive 2016/425/EC and the resultant standard DIN EN ISO 374-1. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

### Skin protection

Avoid contact with skin, eyes and clothing.

# **Respiratory protection**

Provide adequate ventilation.

#### **Environmental exposure controls**

Do not flush into surface water or sanitary sewer system.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: odourless

pH-Value (at 20 °C): 2,7

# Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Plash point:

not applicable
not applicable
no data available
not applicable
not applicable





according to Regulation (EC) No 1907/2006

# 818-42 Hydroxylamine-Hydrochloride Solution

Revision date: 11.05.2021 Product code: 81842 Page 5 of 8

**Flammability** 

Solid: no data available
Gas: no data available

**Explosive properties** 

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

**Auto-ignition temperature** 

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

**Oxidizing properties** 

not applicable

Vapour pressure:

Density (at 20 °C):

Bulk density:

Nature solubility:

no data available

no data available

soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: no data available no data available Viscosity / dynamic: Viscosity / kinematic: no data available Flow time: no data available Vapour density: no data available no data available Evaporation rate: Solvent separation test: no data available Solvent content: no data available

9.2. Other information

Solid content: no data available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reactivity Hazard: Oxidizing agents

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

Reacts with the following substances: Oxidizing agents

### 10.4. Conditions to avoid

Heat, flames and sparks. To avoid thermal decomposition, do not overheat.

# 10.5. Incompatible materials

None known.

# 10.6. Hazardous decomposition products

nitrogen oxides (NOx), Acid chlorides



according to Regulation (EC) No 1907/2006

# 818-42 Hydroxylamine-Hydrochloride Solution

Revision date: 11.05.2021 Product code: 81842 Page 6 of 8

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

No toxicology information is available.

#### Acute toxicity

No data is available on the product itself.

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
5470-11-1	hydroxylammonium chloride; hydroxylamine hydrochloride						
	oral	LD50 141 mg/kg	rat				
	dermal	ATE 1100 mg/kg					

#### Irritation and corrosivity

No known effect.

#### Sensitising effects

May cause sensitisation by skin contact.

#### Carcinogenic/mutagenic/toxic effects for reproduction

H351 - Suspected of causing cancer.

#### STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT-repeated exposure

 $\ensuremath{\mathsf{H373}}$  -  $\ensuremath{\mathsf{May}}$  cause damage to organs through prolonged or repeated exposure.

#### Aspiration hazard

No aspiration toxicity classification

# Specific effects in experiment on an animal

No toxicology information is available.

#### Additional information on tests

None known.

# **Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method	
5470-11-1	hydroxylammonium chloride; hydroxylamine hydrochloride						
	Acute fish toxicity	LC50 1-10 mg/l		Leuciscus idus (Golden orfe)			

# 12.2. Persistence and degradability

No data is available on the product itself.

# 12.3. Bioaccumulative potential

No data is available on the product itself.





according to Regulation (EC) No 1907/2006

# 818-42 Hydroxylamine-Hydrochloride Solution

Revision date: 11.05.2021 Product code: 81842 Page 7 of 8

### 12.4. Mobility in soil

no data available

### 12.5. Results of PBT and vPvB assessment

no data available

### 12.6. Other adverse effects

Discharge into the environment must be avoided.

### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

In accordance with local and national regulations.

#### List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

#### List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

### List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

# **SECTION 14: Transport information**

Land transport (ADR/RID)

**14.2. UN proper shipping name:** Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

**14.2. UN proper shipping name:** Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

**14.2. UN proper shipping name:** Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



# 14.6. Special precautions for user

no data available

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



Be Right

# **Safety Data Sheet**

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

# 818-42 Hydroxylamine-Hydrochloride Solution

Revision date: 11.05.2021 Product code: 81842 Page 8 of 8

# **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

# National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 3 - strongly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

# Changes

Revision: 11.05.2021

Safety datasheet sections which have been updated: 7, 15, 16

Revision: 9.02.2017

Safety datasheet sections which have been updated: 2, 11

Revision: 16.06.2015

Safety datasheet sections which have been updated: 2, 11 Safety datasheet sections which have been updated: 2,3,15

### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure			
Acute Tox. 4; H302	Calculation method			
Skin Sens. 1; H317	Calculation method			
Carc. 2; H351	Calculation method			
STOT RE 2; H373	Calculation method			

# Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

# **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)